IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A taping tool <u>for cleaning taped seams of drywall</u> comprising:

a pole having a general U-shaped bracket at one end;

a roller connected by a first securing means to the general U-shaped bracket;

and

a general L-shaped bracket having a horizontal leg and a vertical leg,
wherein the horizontal leg includes openings for a second securing means to
secure the general U-shaped bracket to said general L-shaped bracket.

- 2. (Original) The taping tool according to Claim 1, wherein the vertical leg includes openings for a third securing means to secure a blade to said general L-shaped bracket.
- 3. (Original) The taping tool according to Claim 1, wherein said roller has a solid core.
- 4. (Original) The taping tool according to Claim 1, wherein said roller has an increasing diameter from the ends of said roller to a middle of said roller.
- 5. (Original) The taping tool according to Claim 1, wherein said roller has a same diameter from one end of said roller to the other end of said roller.
 - 6. (Canceled)
- 7. (Original) The taping tool according to Claim 1, wherein an other end of said pole has a female fitting.
- 8. (Original) The taping tool according to Claim 1, wherein an other end of said pole has a ball-like object connected thereto.

- 9. (Canceled)
- 10. (Canceled)
- 11. (Original) The taping tool according to Claim 1, wherein the opening comprises slotted openings.
- 12. (Currently Amended) A taping tool <u>for cleaning taped seams of drywall</u> comprising:
 - a pole having a general U-shaped bracket at one end;
 - a roller connected by a first securing means to the general U-shaped bracket;
 - a general L-shaped bracket having a horizontal leg and a vertical leg,

wherein the horizontal leg includes openings for a second securing means to secure the general U-shaped bracket to said general L-shaped bracket; and

a blade having openings at generally its base to receive a third securing means to secure said blade to the vertical leg, and

wherein said roller and said blade are arranged on generally parallel vertical planes, generally opposed to each other.

- 13. (Original) The taping tool according to Claim 12, wherein said roller has a solid core.
- 14. (Original) The taping tool according to Claim 12, wherein said roller has an increasing diameter from the ends of said roller a middle of said roller.
 - 15. (Canceled)
- 16. (Original) The taping tool according to Claim 12, wherein the opening comprise slotted openings.
- 17. (Currently Amended) A taping tool <u>for cleaning taped seams of drywall</u> comprising:

a pole having a general U-shaped bracket at one end;

a roller connected by a first securing means to the general U-shaped backer;

and

a general L-shaped bracket having a horizontal leg and a vertical leg,

wherein the horizontal leg includes openings for a second securing means to secure the general U-shaped bracket to said general L-shaped bracket,

wherein the vertical includes openings for a third securing means to secure a blade to said general L-shaped bracket, and

wherein the blade has a greater width than a width a said roller.

- 18. (Original) The taping tool according to Claim 17, wherein said roller has a solid core.
- 19. (Original) The taping tool according to Claim 17, wherein said roller has an increasing diameter from the ends of said roller to a middle of said roller.
 - 20. (Canceled)